






REV.	DATE	DESCRIPTION
NC	07/07/05	INITIAL RELEASE



NOTE:  
1. FERRULE HEX. CRIMP SIZE .255"  
2. CONTACT PIN HEX. CRIMP SIZE .068"

NO.	DESCRIPTION	MATERIAL	FINISH	QTY	DO NOT SCALE DRAWING	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. DIMENSIONS IN [ ] ARE IN INCHES AND FOR CUSTOMER REFERENCE ONLY. TOLERANCES FOR MILLIMETERS ARE: 0.5 - 8mm ± 0.20mm 8 - 30mm ± 0.40mm 30 - 120mm ± 0.50mm UNLESS OTHERWISE SPECIFIED TOLERANCES FOR INCHES ARE: .020 - .315 = ± 0.007" .315 - 1.180 = ± 0.015" 1.180 - 4.724 = ± 0.020"
8						
7						
6						
5	FERRULE	COPPER	NICKEL	1		
4	CONTACT PIN	PHOS. BRONZE	GOLD	1		
3	INSULATOR	TEFLON	NATURAL	1		
2	INSULATOR	TEFLON	NATURAL	1		
1	BODY	BRASS	NICKEL	1		
	DESCRIPTION	MATERIAL	FINISH	QTY	DO NOT SCALE DRAWING	

**Amphenol Connex**

TNC PANEL CRIMP JACK  
(RG-59/U - 75ohms)

122233

APPROVALS	DATE
DRAWN G.R.S.	07/07/05
CHECKED	
ISSUED	
SHEET 1 OF 1	

CAD FILE  
C:/122/122233.DWG

PART NO.	DWG. NO.	REV.	SIZE	SCALE
	122233.DWG	NC	A	NA