

NOTES:

1. MATERIALS AND FINISHES:

BODY - BRASS, GOLD PLATING
 CONTACT - BERYLLIUM COPPER, GOLD PLATING
 INSULATOR - PTFE, NATURAL

2. ELECTRICAL;

A. IMPEDANCE: 75 OHM
 B. FREQUENCY RANGE: DC-3 GHz
 C. DIELECTRIC WITHSTANDING VOLTAGE: 1000 VRMS, MIN.


3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN.
 B. TEMPERATURE RANGE: -65°C TO +165°C


THIRD ANGLE PROJ.

REVISIONS



REV	DESCRIPTION	DATE	ECO	APPR
NC	INITIAL RELEASE	22-Feb-99	----	GRS
A	UPDATED DRAWING FORMAT	26-Jun-14	----	MZ



SCALE 2.000



PCB MOUNTING HOLE



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:
 < 0.5mm ± 0.05mm 0.5 - 6mm ± 0.1mm 6 - 30mm ± 0.2mm 30 - 120mm ± 0.3mm ANGLES ± 1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL	-
REFERENCE	SMZ6252B1-3GT30G-75
CONFIGURATION LEVEL:	
FINISH	

DRAWN	M. ZHANG	DATE	26-Jun-14
ENGINEER		DATE	26-Jun-14
APPROVED		DATE	
CAD FILE			

TITLE		SMB R/A P.C. MOUNT PLUG	
SCALE:	6.0:1.0	SHEET	3 OF 3
DWG SIZE	B	REV	A

Amphenol Connex	
DRAWING NO.	
ITEM NO.	
PART NO.	142143