



NOTES:

- MATERIALS AND FINISHES:  
 BODY & LOCK RING - BRASS, GOLD PLATING  
 CONTACT - PHOSPHOR BRONZE, GOLD PLATING  
 INSULATOR - PTFE, NATURAL
- ELECTRICAL:  
 A. IMPEDANCE: 75 OHM  
 B. FREQUENCY RANGE: DC-3 GHz  
 C. VSWR: 1.15 MAX.  
 D. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.
- MECHANICAL:  
 A. DURABILITY: 500 CYCLES MIN.  
 B. TEMPERATURE RANGE: -65°C TO + 165°C
- THE PCB BOARD THICKNESS IS 1.40 - 2.30 MM





**RECOMMENDED MOUNTING HOLE DIMENSIONS**

REV		DESCRIPTION	DATE	ECO	APPR
A		RELEASE TO MFG.	23-Feb-17	03101	BEW



SCALE 2.000



**CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:  
 <0.5mm ±0.05mm    0.5 - 6mm ±0.1mm    6 - 30mm ±0.2mm    30 - 120mm ±0.3mm    ANGLES ±1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL	DRAWN	DATE
	M. ZHANG	23-Feb-17
	ENGINEER	DATE
	ANANDH G	17-Jun-16
REFERENCE	APPROVED	DATE
EAR# 7281 AND EXP# --	S. HSIEH	24-Feb-17
CONFIGURATION LEVEL: In Work	CAD FILE	
FINISH		

TITLE	
75 OHM, BNC STR JACK, PCB MNT, SURF MNT CONTACT	
SCALE: 7.5:1.0	SHEET 2 OF 2
DWG SIZE B	REV A

Amphenol RF	
www.amphenolrf.com	
DRAWING NO. 31-70532	
ITEM NO. 31-70532	
PART NO. 31-70532	