


NOTES:

1. MATERIALS AND FINISHES:
 BODY-REAR, BODY, CONTACT, LOCK WASHER &
 HEX NUT - BRASS, GOLD PLATING
 INSULATORS - PTFE, NATURAL
2. ELECTRICAL:
 A. IMPEDANCE: 50 OHM
 B. FREQUENCY RANGE: DC-4 GHz
 C. DIELECTRIC WITHSTANDING VOLTAGE: 750 VRMS. MIN.
3. MECHANICAL:
 A. DURABILITY: 500 CYCLES MIN.
 B. TEMPERATURE RANGE: -65°C TO +165°C
4. PACKAGING:
 A. QUANTITY: SINGLE PACK
 B. MARKING: BAG TO BE MARKED
 "AMPHENOL RF, 903-908J-51A, AND DATE CODE"


THIRD ANGLE PROJ.

REVISIONS





REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE TO MFG.	05-Aug-15	50698	MM



RECOMMENDED PCB LAYOUT



SCALE 3.000



RECOMMENDED PANEL CUTOUT DIMENSIONS

CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm ±0.05mm 0.5 - 6mm ±0.1mm 6 - 30mm ±0.2mm 30 - 120mm ±0.3mm ANGLES ±1° NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	MATERIAL	DRAWN	DATE	TITLE		Amphenol RF www.amphenolrf.com DRAWING NO. 903-908J-51A ITEM NO. 903-908J-51A PART NO. 903-908J-51A	
	SEE NOTES	M. DONG	18-Aug-15				
	REFERENCE	ENGINEER	DATE	SCALE: 5.0:1.0 SHEET 2 OF 2			
	EAR #6787	MADHAN G	08-May-15	DWG SIZE	REV		
FINISH	APPROVED	DATE	B	A			
	S. HSIEH	20-Aug-15					
	CAD FILE						