NOTES:

I. MATERIALS AND FINISHES:

BODY - BRASS, NICKEL PLATING CONTACT - PHOS. BRONZE, GOLD PLATING

INSULATOR - PTFE

COUPLING NUT - BRASS, NICKEL PLATING

2. ELECTRICAL:

A. NON-CONSTANT IMPEDANCE B. FREQUENCY RANGE: DC-1 GHz C. VSWR: 1.30:1, MAX. @ 300 MHz

D. DIELECTRIC WITHSTANDING VOLTAGE: 500 VRMS, MIN.

3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN. B. TEMPERATURE RANGE: -65° C TO 85° C


A. QUANTITY: SINGLE PACK


B. MARKING: PACKAGING TO BE MARKED

"AMPHENOL RF, AD-UHFPMUHFJ-I, AND DATE CODE"



REV	DESCRIPTION	DATE	ECN	APPR
Α	RELEASE TO MANUFACTURING	28 - Jun - 19	12048	CJV





## **CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:
<0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES
±0.05mm ±0.1mm ±0.2mm ±0.3mm ±1° NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

	MATERIAL	DRAWN	DATE
	SEE NOTES	S.DUAN	0 -Ju - 9
		ENGINEER	DATE
	REFERENCE	C. VIGORITO	22-Apr-19
	EAR# 9005	APPROVED	DATE
S	REF:	S.HSIEH	12-Jul-19
	CONFIGURATION LEVEL: In Work	CAD FILE	
	FINISH		

TITLE UHF PLUG TO		А	mphenol R	
MINI-UHF JACK		www.amphenolrf.com		
ADAPTER		DRAWING NO.	AD-UHFPMUHFJ-I	
 SCALE: 5.0:1.0 SHEET 2 O	F 2 RFV	ITEM NO.	AD-UHFPMUHFJ-I	
В	Ā	PART NO.	AD-UHFPMUHFJ-I	

Amphenol RF					
w	ww.amphenolrf.com				
ING NO.	AD-UHFPMUHFJ-I				
NO.	AD-UHFPMUHFJ-I				