

NOTES:

1. MATERIAL AND FINISHES:

BODY - BRASS, GOLD PLATING
CONTACT - BERYLLIUM COPPER, GOLD PLATING
INSULATOR - PTFE, NATURAL

2. ELECTRICAL:

A. IMPEDANCE: 75 OHM

3. MECHANICAL:




A. DURABILITY: 500 CYCLES MIN.
B. TEMPERATURE RANGE: -65°C TO +165°C

4. CENTER CONTACT TO ACCEPT Ø.020" TO Ø.041" PIN [Ø0.5 mm TO Ø1.05 mm]

THIRD ANGLE PROJ.

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE TO MFG	08-Jun-03	-----	TOM
B	MODIFY FLANGE DIMENSION TO Ø8.31	01-Mar-04	-----	--
C	MODIFY FLANGE LENGTH 14.02 / ID TO Ø5.54	25-Jun-04	-----	--
D	UPDATE PUSH-ON BODY	13-Nov-07	-----	--
E	REDRAWN IN PRO/E, SYNC\N/A	13-Apr-16	2881	SH



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm ± 0.05mm 0.5 - 6mm ± 0.1mm 6 - 30mm ± 0.2mm 30 - 120mm ± 0.3mm ANGLES ±1°	MATERIAL	DRAWN M. ZHANG	DATE 13-Apr-16	TITLE F FEMALE TO MALE THRU BNC ADAPTOR		Amphenol RF	
		ENGINEER SHARON	DATE 28-Feb-04			www.amphenolrf.com	
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	REFERENCE	APPROVED S. HSIEH	DATE 13-Apr-16	SCALE: 6.0:1.0 SHEET 2 OF 3		DRAWING NO. FF-SPCMI-NT3G-75	
	CONFIGURATION LEVEL: In Work	CAD FILE		DWG SIZE B REV E		ITEM NO. 04F-99MI-NA-7-F	
	FINISH					PART NO. 112532-12	