## NOTES:

I. MATERIALS AND FINISHES:

BODY - BRASS, GOLD PLATING (.000003 MIN. THICK)
CONTACT - BRASS, GOLD PLATING (.000030 MIN. THICK)
INSULATOR - PTFE

2. ELECTRICAL:


A. IMPEDANCE: 75 OHM

3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN. B. TEMPERATURE RANGE: -65° C TO +165° C


4. PACKAGING:

A. QUANTITY: SINGLE PACK
B. MARKING: BAG TO BE MARKED
"AMPHENOL, 903-725J-71S, AND DATE CODE"




.610 [15,491]





SCALE 2.000



## **CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE:  2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES  ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°	MATERIAL	DRAWN H. PARIKH	D A T E 0 4 - A u g - 0 4	SMB BHD 75 OHMS RECT.	Amphenol RF  Danbury, CT, USA  Tainan, Taiwan  Shenzhen, China  www.amphenolrf.com
NOTICE - These drawings, specifications, or other data (I) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.		ENGINEER	DATE		
		H. PARIKH	0 4 - A u g - 0 4		
		APPROVED	DATE		
		O. BARTHELMES	10/20/04		SCALE: 8.0:1 SHEET 2 OF 2
		CAD FILE		CODE ID DWG SIZEDRAWING NO. REV	
		I:\SMB\903-725J-7IS		74868   B	903-725J-7IS B