






NOTES: 1. MATERIALS AND FINISHES: FRONT BODY, SLEEVE, FERRULE - BRASS, GOLD PLATING CONTACT - BeCu, GOLD PLATING INSULATOR & BUSHING - PTFE NUT & REAR BODY - BRASS, NICKEL PLATING 2. ELECTRICAL: A. IMPEDANCE: 50 OHM B. FREQUENCY RANGE: DC - 2.2 GHz C. VSWR(RETURN LOSS): 1.06 (30 dB), MAX. 3. MECHANICAL: A. DURABILITY: 500 CYCLES MIN. B. TEMPERATURE RANGE: -65° C TO 165° C 4. PACKAGING: A. QUANTITY: SINGLE PACK B. MARKING: BAG TO BE MARKED "AMPHENOL, 102-913-07, AND DATE CODE" 5. ASSEMBLY: A. STRIP CABLE TO DIMENSIONS SHOWN B. SLIDE FERRULE OVER CABLE, THEN PEEL BACK BRAID OVER FERRULE C. SLIDE SLEEVE, THEN BUSHING OVER CABLE, BOTTOMING ON BRAID/FERRULE D. SOLDER CONTACT ONTO CABLE CENTER CONDUCTOR, BOTTOMING ON BUSHING E. INSERT PREPARED CABLE INTO CONNECTOR UNTIL IT BOTTOMS F. CRIMP BODY OVER FERRULE USING .105 HEX	102-913-07		REVISIONS			
	DRAWING NO.	REV	DESCRIPTION	DATE	ECO	APPR
	THIRD ANGLE PROJ. 	A	RELEASE TO MFG.	8/2/04	45081	
<div><p>SCALE 5.000</p></div>						
<div><div><p>FERRULE BRASS SLEEVE INSULATOR BUSHING SOLDER CONTACT</p></div><div><p>.150 [3,81] .095 [2,41]</p></div></div>						
<div><p>.815 [20,7] NUT .177 [4,5] ACROSS FLATS INTERFACE PER CECC 20 230 PARA 2.1.1 SOCKET</p></div>						
<div><p>CUSTOMER OUTLINE DRAWING</p><p>ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY</p></div>						
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°			MATERIAL		DRAWN K. CAPOZZI	
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.			DATE 08-Apr-04		TITLE 1.0/2.3 CABLE JACK BULKHEAD TO 1.32 MM CABLE (DOUBLE BRAIDED 1.13 MM)	
			ENGINEER K .CAPOZZI		DATE 08-Apr-04	
			APPROVED O. BARTHELMES		DATE 8/2/04	
			REFERENCE EAR #1328 615X-2037-200		CAD FILE I:\1023\102-913-07	
			CODE ID 74868	DWG SIZE B	DRAWING NO. 102-913-07	REV A
			SCALE: 7.0:1		SHEET 2 OF 2	