



NOTES:

1. MATERIAL AND FINISH:
BODY & HOUSING - BRASS, NICKEL PLATED,
CONTACT PIN - PHOSPHOR BRONZE, GOLD PLATED
INSULATION: PTFE
2. ELECTRICAL:
A. IMPEDANCE: 75 OHM
B. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.
3. MECHANICAL:
A. DURABILITY: 500 CYCLES MIN.
B. TEMPERATURE RANGE: -65° C TO 165° C

THIRD ANGLE PROJ.

REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE TO MFG	10/13/05	--	GEFFERY
B	SEE SHEET 1	05-Nov-09		AGELA
C	SYNCHRONIZE IN ARFA , CONTACT WAS 0.51MM BEHIND TINES	18-Feb-15	2870	J.C



CUSTOMER OUTLINE DRAWING
ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ± 0.05mm ±0.1mm ±0.2mm ± 0.3mm ±1° NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	MATERIAL	DRAWN J.CHEN	DATE 12-Feb-15	TITLE FEMALE TO MALE THRU BNC ADAPTOR		Amphenol Connex
		ENGINEER G.WANG	DATE 14-Oct-05			
	REFERENCE PN : BF-SPCM4-NT3G-75T	APPROVED	DATE	SCALE: 2.0:1.0 SHEET 3 OF 3		
	CONFIGURATION LEVEL:	CAD FILE	DWG SIZE B		REV C	
	FINISH					
				DRAWING NO.		
				ITEM NO.		
				PART NO. 112532-11-3		