

Datasheet

Amphenol

2.4-2.5Ghz & 5.15-5.85GHz

External / In-building

Features:

High performing Wi-Fi dual-band antenna with SMA/RP-SMA connector for indoor applications

Applications:

- CPE Router, Set-top boxes, Gateway
- IoT devices
- Wi-Fi Mesh
- Smart Metering
- Robotics



Electrical Specifications						
Antenna Characteristics						
Antenna Type	Radiation Pattern	Polarization	Max. Input Power	Impedance		
Stick Antenna	Omni	Linear	2W	50Ω		

Frequency (GHz)	2.4 – 2.5	5.15 – 5.85	
Return Loss (dB)	< -10	< -10	
Gain, Peak / Average (dB)	2.8 / -1.2	4.9 / -1.0	
Efficiency / Average (%)	75	79	





Stick Antenna




Amphenol

Mechanical Specifications					
Environmental					
Temperature Range (°C) -40 to 85					
Humidity		Non-condensing 65°C 95% RH			
RoHS Compliant					
Part Number		ength (mm)	Weight (g)	Connector Type	Radome
		100	40.70		

	()	(9)	- 760	
ST0228-30-001-A	196	19.76	SMA Plug	TPEE/ABS
ST0228-30-501-A	196	19.76	RP-SMA Plug	TPEE/ABS


Mechanical Drawing






Amphenol

Charts in Free Space




ST0228-30-501-A

Test setup, measurement performed in 3D Anechoic Chamber



Blue background represents frequency response.





www.amphenolrf.com







Radiation Pattern - Free Space XY - Pane






YZ - Plane





XZ - Plane





Revisions						
Rev	Description	Date	ECN	Approval		
А	Initial Release	2022-10-25	ST0228-30-X01-A-RA00	ATC		
В	RF Performance update	2023-01-02	ST0228-30-X01-A-RB00	ATC		

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.