




NOTES:

- MATERIALS AND FINISHES:  
 MMCX STR PLUG - BRASS, GOLD PLATING  
 RP TNC STR BHD JACK IP 67 - BRASS, NICKEL PLATING  
 CABLE - RG 316
- ELECTRICAL:  
 A. IMPEDANCE: 50 OHM
- PACKAGING:  
 A. QUANTITY: SINGLE PACK  
 B. MARKING: BAG TO BE MARKED  
 "AMPHENOL RF, 95-900-603-XXX AND DATE CODE"

REVISIONS				
REV	DESCRIPTION	DATE	ECN	BY
A	RELEASE TO MFG.	15-DEC-25	17687	AMP



RECOMMENDED MOUNTING HOLE DIMENSIONS



LENGTH TABLE		
PART NUMBER (IMPERIAL)	PART NUMBER (METRIC)	LENGTH "L" IN INCHES [METERS]
95-900-603-003	-	3.00 [0.076]
95-900-603-004	-	4.00 [0.102]
95-900-603-005	-	5.00 [0.127]
95-900-603-006	-	6.00 [0.152]
95-900-603-007	-	7.00 [0.178]
95-900-603-008	-	8.00 [0.203]
95-900-603-009	-	9.00 [0.229]
95-900-603-010	-	10.00 [0.254]
95-900-603-011	-	11.00 [0.279]
95-900-603-012	-	12.00 [0.305]
95-900-603-018	-	18.00 [0.457]
95-900-603-024	-	24.00 [0.610]
95-900-603-036	-	36.00 [0.914]
-	95-900-603M100	39.37 [1.000]
95-900-603-048	-	48.00 [1.219]

TOLERANCE TABLE	
LENGTH IN INCHES/FT [METERS]	TOLERANCE
0" - 23.99" [0 - 0.609]	±0.25" [0.006]
24.00" - 59.99" [0.610 - 1.523]	±0.50" [0.013]
5.0' - 24.99' [1.524 - 7.617]	±2.5%
25.0' & UP [7.620 & UP]	±5.0%

DESIGN REQUIREMENTS:

- |   |  |
|---|--|
| <input checked="" type="checkbox"/> FREQUENCY: DC - 6 GHz | <input checked="" type="checkbox"/> CONTINUITY       |
| <input type="checkbox"/> VSWR: _____ 1 MAX.               | <input checked="" type="checkbox"/> HI-POT: 300 VRMS |
| <input type="checkbox"/> INS. LOSS: _____ dB MAX.         | <input type="checkbox"/> OTHER                       |

**CUSTOMER OUTLINE DRAWING**  
ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

NOTICE: These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE METRIC [INCHES] AND TOLERANCES ARE:  
 <0.5mm = ±0.05mm [ $\pm 0.020 = \pm 0.002$ ]  
 0.5 - 6mm = ±0.1mm [ $\pm 0.020 - 0.236 = \pm 0.004$ ]  
 >6.00 - 30mm = ±0.2mm [ $\pm 0.236 - 1.181 = \pm 0.008$ ]  
 >30.00 - 120mm = ±0.3mm [ $\pm 1.181 - 4.725 = \pm 0.012$ ]

MATERIAL  
SEE NOTES

TITLE  
MMCX STR PLUG TO RP TNC STR BHD JACK IP 67 USING RG 316 CABLE

Amphenol RF		SIZE	DRAWING NO. 95-900-603-XXX	REV A
			ITEM NO. 95-900-603-XXX	
			PART NO. 95-900-603-XXX	

THIRD ANGLE PROJ.	REFERENCE	EAR# 13262
-------------------	-----------	------------

ENGR.1 PONNARASAN	ENGR.2	DATE 09-OCT-25	SHEET NO. 2 OF 2	SCALE: 2.3:1.0
-------------------	--------	----------------	------------------	----------------